



# IsoFlex Technologies Pty Ltd.

Unit 5, 7 Waterway Drive, Gold Coast Marine Precinct, Coomera, Queensland, Australia. 4209  
 Ph: 1300 366 393 Ph: 07 555 60 924 F: 07 555 60 984 Int prefix: 617  
 Email: info@isoflex.com.au  
 Home Page: www.isoflex.com.au

## IsoFlex Mount Data Sheet

### Loadings:

1. Axial - Vertical Down (A-direction)
2. Longitudinal Thrust (T-direction)
3. Lateral (L-direction)


### Mount Model: M130RV-24S

'M130RV' = model number  
 '24' = thread size  
 'S' = adjusting stud type



Resilient Element Colour	Shore Durometer Hardness A-scale SDH-A
Yellow	50
Red	60
Black	70
Green	80

Base: Black - 75 SDH-D

All metal components silver zinc plated



Graphs: 1. Static Axial Vertical Load[kg] (A-direction) versus Deflection[mm] (in)  
 2. Static Longitudinal Thrust Load (T-direction) versus Deflection[mm] (in)  
 3. Static Lateral Load (L-direction) versus Deflection[mm] (in)



Model Number: M130RV-24S(80)

Mount Model: M130RV-24S

Dimensions in millimetres (mm.) - unless stated otherwise

Drawing number: DS-M130RV-24S(70-80)  
 Drawn: PB Date: 18-5-06

Copyright © 2006 **IsoFlex Technologies Pty Ltd.**

Specifications are subject to change without notice.